अनुसूची-१ विधुतीय रेकर्डिङ उपकरणहरूका लागि तापक्रम चार्ट										_																																												
Cold room/ refrigerator number :  Equipment Model										Start Date : <dd mm="" yyyy="">  Location :</dd>													Key : FI = Freeze Indicator (status OK or X)																															
Equipment indust								L																																														
Day 1 2 3 4								5		6		7	8		9	10		11		12	13		14		15		16	17		18	+	9	20	_	21	_	22	23		24	_	25	26		27		28	29		30	31		32	
		C a	ım pm	am	pm ar	n pm	am	pm	am p	m ar	m pm	n am	pm	am p	m an	n pm	am	pm	am pr	m an	n pm	am	pm	am j	om a	m pm	n am	pm	am J	om a	ım pır	n am	pm	am j	pm a	ım pr	n am	pm	am	pm	am p	om an	n pm	am J	pm a	m pn	n am	pm	am p	m am	n pm	am	pm a	ım pm
		15			-	-		_	-	+	-				+					+					+		+			+					+	+				-	-	+		+	+					+	+	$\forall$	+	+
		14						1																																											+	$\Box$	$\dashv$	+
	+	13																																																				T
	+	12																																																				
		11																																																	4	Ш	_	4
Temperature Chart		10 -9			_	-		_	_	-	-														_		+		_	_		-									_	-			-						+	Н	_	4
		-8																																														H			+	${f H}$	+	+
	-	-7		H	-	-		_	_	-		-			+	-					-					-	+	+	_		-	-					+			_	-	-	-		-	-	-				+	$\vdash$	+	+
	-		-	$\vdash$	-	-		_	_	-	-				-	-				-	-					-	+		_		-						+			_		-				-	-		-	-	+	$\vdash$	$\dashv$	+
	-	-6		₩	-	-			_		-	-				-					-			_		-		+	_		-	-		_							-		-		-	+	-		-		+	$\vdash \vdash$	$\dashv$	+
		-5				-		_	_	_	-	-			-	-					-			_		-	-		_		-	-		_		-	-			_		-	-		-	-	-		-	-	+	$\vdash$	+	+
	-			H	+	+		_			_	-			-	-					-					-		$\vdash$	_		-	+				+	-	-			_	_	-		+	+	+			_	+	$\vdash \vdash$	+	+
		-3				-		_	_	_	-	-			-	-					-			_		-	-		_		-	-		_		-	-			_		-	-		-	-	-		-	-	+	$\vdash$	+	+
	4																																															Н						_
		0			-	-		_	-	+	-				+					+					+		+			+					+	+		1		-	-	+		+	+					+	+	$\forall$	+	+
				Ħ	$\top$			1	1	$\top$					$\top$												+					1										+			+								Ħ	+
		2																																																				
																																																			1	Ш	_	
		4						_	_	+					-										-		-			-							+			_		_			-			Н			4	Н	_	4
FI (X or Of	-5																																												+						+	${f H}$	+	_
> + 8°C Al		Oı	nce every	24 hours	, enter l	igh alar	m status	and m	aximum	temper	erature re	ecorded	by the	continuo	us temp	erature :	monitor	ring de	rice																				Ш									<u> </u>			_		$\perp$	_
Alarm time or OK							П	T		T		Т					Г			Т		<u> </u>	Т		Т		Τ			Т		T	Т		Т				Π			Т			Т		Т	Т		Т			$\top$	
Maximum °C																																																				$\vdash$	+	
< -0.5°C Alarm		Oı	nce every	24 hours	, enter l	ow alarr	n status	and mi	nimum 1	tempera	ature re	corded b	by the c	ontinuou	s tempe	erature n	nonitori	ing devi	ce			<u> </u>										<u> </u>							<u> </u>														$\dashv$	
Alarm time or OK								Ī		Τ		Т			Τ					Т					T		Τ			T		Т	T		T							Τ			T		Τ	T		Т			$\top$	
Minimum °C																																																				-	$\dashv$	
Initials :																																																			T		$\top$	T
Province:																		Month:																					Ren	narl	cs:													
District:																		Year:																																				
Health Center:																Supervisor ·																																						